

Display energy certificate (DEC)



North Hertfordshire District Council
Hitchin Town Hall
Brand Street
Hitchin
SG5 1HX

Operational rating

E

Certificate number: 2785-1329-1008-4895-2695

Valid until: 23 November 2021

Total useful floor area: 2225.63 square metres

Energy performance operational rating

The building's energy performance operational rating is based on its carbon dioxide (CO₂) emissions for the last year.

It is given a score and an operational rating on a scale from A (lowest emissions) to G (highest emissions).

The typical score for a public building is 100. This typical score gives an operational rating of D.

Score	Operational rating	This building	Typical
0-25	A		
26-50	B		
51-75	C		
76-100	D		
101-125	E	101 E	100
126-150	F		
150+	G		

Previous operational ratings

Date	Operational rating
November 2020	101 E
December 2019	90 D
January 2019	81 D

Total carbon dioxide (CO₂) emissions

This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO₂.

Date	Electricity	Heating	Renewables
November 2020	116	73	0
December 2019	95	72	0
January 2019	71	63	0

Assessment details

Assessor's name	Alistair Alcock
Accreditation scheme	Stroma Certification Ltd
Employer/Trading name	School Energy Matters Ltd 07795015118
Employer/Trading address	30 Albert Road, FY8 3SU
Issue date	1 December 2020
Nominated date	24 November 2020
Assessor's declaration	Not related to the occupier.

This building's energy use

Energy use	Electricity	Other fuels
Annual energy use (kWh/m ² /year)	94.52	168.05
Typical energy use (kWh/m ² /year)	96.04	157.53
Energy from renewables	0.0%	0.0%